



Immunisation Schedule

Age to immunise	Vaccine	Protects
Birth	BCG	Tuberculosis
Birth	Hep B	Hepatitis B
Birth – 2 months	DTaP/IPV/Hib and Pneumococcal conjugate vaccine (PCV)	Diphtheria, tetanus, pertussis (whooping cough), polio and <i>Haemophilus influenzae</i> type b (Hib) Pneumococcal infection
Birth – 3 months	DTaP/IPV/Hib and MenC	Diphtheria, tetanus, pertussis, polio and <i>Haemophilus influenzae</i> type b (Hib) Meningitis C (meningococcal group C)
Birth – 4 months	DTaP/IPV/Hib and MenC and PCV	Diphtheria, tetanus, pertussis, polio and <i>Haemophilus influenzae</i> type b (Hib) Meningitis C Pneumococcal infection
Birth – 12 months	Hib/MenC	<i>Haemophilus influenzae</i> type b (Hib) Meningitis C
Birth – 13 months	MMR and PCV	Measles, mumps and rubella (German measles) Pneumococcal infection
Three years	DTaP/IPV or dTaP/IPV and MMR	Diphtheria, tetanus, pertussis and polio Measles, mumps and rubella
Girls 12 or 13 years	HPV	Cervical cancer caused by human papillomavirus types 16 and 18
13 to 18 years	Td/IPV	Tetanus, diphtheria and polio